

SANGLI MIRAJ & KUPWAD CITY MUNICIPAL CORPORATION

FORM 'C'

(See Rule 5)

Certificate of Registration under section 5 of the Bombay Nursing Homes
Registration Act 1949

178
No.

Executive Director Dr. D. K. Gosavi

Memorial Shri Siddhivinayak Ganpati Cancer Hospital

This is to Certify that Shri / Smt

has been registered under the Bombay Nursing Homes Registration Act. 1949 in
respect of

" Dr. D. K. Gosavi Memorial Shri Siddhivinayak Ganpati Cancer Hospital "

(Here insert the name of the Nursing Home.)

Situated at **Miraj** and has been authorised to carry on the said

nursing home. No. of Bed's for Other Patient - 100 Bed's

No. of Bed's for Manternity Patient - 00 Bed's

Registration No. 178

Date of Registration 26/07/2007

Place Sangli-Miraj Road, Miraj

Date of issue of certificate 1/04/2021

This certificate of registration shall be valid upto 31st March 2024

MEDICAL OFFICER OF HEALTH, SANGLI MIRAJ & KUPWAD CITY MUNICIPAL
CORPORATION (Here insert the name of Local Supervising Authority.)



Signature of the registering authority.

Medical Health Officer
Public Health
Sangli Miraj & Kupwad City
Corporation



सांगली मिरज आणि कुपवाड शहर महानगरपालिका
(सार्वजनिक आरोग्य विभाग)

जा.क्र.मनपा/आरोवि/राआअ/१०६/२०२१

दिनांक:- १९/०३/२०२१

परिपत्रक आदेश

प्रति,

डॉ. लिव्हा वीतापु गणपती कॅन्सर हॉस्पिटल

विषय:- महाराष्ट्र शुश्रूषागृह नोंदणी नियमातील तरतुदीबाबत.

संदर्भ:- सार्वजनिक आरोग्य विभाग, महाराष्ट्र शासन क्र. शु.न.अ.-२०१८
/१७६/प्र.क्र.६०४/कु.क. दि. १४/०१/२०२१ रोजीची अधिसूचना.

सांगली मिरज आणि कुपवाड शहर महानगरपालिकेकडे तुमच्या हॉस्पिटलची बॉम्बे नर्सिंग होम रजिस्ट्रेशन अॅक्ट अंतर्गत नोंदणी आहे. सदर कायद्यानुसार नोंदणी व नुतनीकरणासाठी शासन स्तरावर नविन नियमावली संदर्भीय अधिसूचनेद्वारे लागू करणेबाबत कळविले आहे. त्यानुसार महानगरपालिकेकडून तुमच्या हॉस्पिटलची तपासणी करणेसाठी पथक आलेस वरील संदर्भीय पत्रामध्ये कळविलेनुसार सुविधा असणे आवश्यक आहे. सदर तपासणी दरम्यान त्रुटी आढळल्यास तुमच्या हॉस्पिटलकरीता महानगरपालिकेकडून बॉम्बे नर्सिंग होम रजिस्ट्रेशन अॅक्ट अंतर्गत देण्यात आलेली नोंदणी रद्द करुन पुढील कायदेशीर कारवाई करण्यात येईल याची नोंद घ्यावी.

(डॉ. सुनिल आंबोळे)

वैद्यकीय आरोग्य अधिकारी

सांगली मिरज कुपवाड महानगरपालिका

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: psob@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

ORANGE/S.S.I

Date: 12/12/2022

No:- Format1.0/PSO/UAN No.0000139274/CR/2212000717

To,
SHRI SIDDHIVINAYAK GANAPATI CANCER HOSPITAL
892,MIRAJ-SANGLI ROAD, MIRAJ, Sangli-416410
Email:cancermiraj@gmail.com
Contact No.:9850727341



**Your Service is Our
Duty**

Renewal of Combined Consent and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. Format 1.0/BO/PSO/HOD-2102001003 dtd 17/02/2021.
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 25/06/2022.
 3. Visit Report dtd 09/07/2022
 4. This office email dtd 10/10/2022.
 5. SCN for refusal dtd 28/10/2022.
 6. Document uploaded on 3/11/2022 & 07/12/2022.

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedules(I-IV) and Annexures (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **04-06-2022 To 31-05-2027**
2. The capital investment of the HCF is **₹5153.97** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 9252.00 M² with Built-up area 5804.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 178 valid upto 31-03-2024)

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 60.00 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		NA	As per Actual	--NA--	NA


8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Surya Central Treatment Facility, Sangli** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You have not submitted a record of cytotoxic drugs (BMW Material) sent to CBWTF. Hence the bank guarantee of Rs.10,000/- is eligible for forfeiture and a double bank guarantee of Rs.20,000/- is imposed for the same.
18. You shall submit the bank guarantee of Rs.1.10 Lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Kolhapur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	300000.00	TXN2205003452	30/05/2022	Online Payment
2	15000.00	TXN2206002779	25/06/2022	Online Payment

Fee of Rs.7700/- remain with board and may consider at the time of next renewal.

Copy to:

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Sangli
 - - Regional Officer, MPCB, Kolhapur directed to ensure the forfeiture of the Bank Guarantee and submission of fresh Bank Guarantee by hospital as specified in Schedule III of CCA and monitor the compliance.
 - Sub Regional Officer, MPCB, Sangli directed to ensure the compliance of the CCA conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.



Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	60.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	40	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	D.G.Set (265 KVA)	DISEL	15.00 Ltr/Hr	3.00
2	D.G.Set (125 KVA)	DISEL	5.00 Ltr/Hr	3.00
3	D.G.Set (125 KVA)	DISEL	5.00 Ltr/Hr	3.00
4	D.G. Set(125 KVA)	DISEL	5.00 Ltr/Hr	3.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	45.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	120.00		
		d) Expired or Discarded Medicines	3.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	175.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	120.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	1040.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
3	White (Translucent)	Waste sharps including Metals	100.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
4	Blue	a) Glassware	10.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Central Treatment Facility, Sangli Sangli
		b) Metallic body implants	0.00		

Responsibilities of the CTF Operator of the Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Surya Central Treatment Facility, Sangli** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	20,000.00
Total			1,10,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.



General Conditions**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



12

C E R T I F I C A T E

It is hereby certified that the Public Trust described below has this day been duly registered under the Bombay Public Trusts Act, 1950 (XXIX of 1950) at the Public Trusts Registration Office, Kolhapur Region, Kolhapur.

Name of the Public Trust "SANJEEVAN MEDICAL FOUNDATION, MIRAJ, DISTRICT- SANGLI"

Registration Number in the Register of Public Trust "E - 420 - Sangli"

Certificate issued to DR. DATTATRAYA KRISHNAJI GOSAVI

Given under my hand this 2nd day of October, 1973.

(S E A L)

Sd/-xxx

(M. S. Ganorkar)
Asstt. Charity Commissioner,
Kolhapur Region, Kolhapur.

" Translated copy in English of original certificate which is in Marathi "



J. K. Patil
3.9.73
Assistant Charity Commissioner
Public Trusts Registration Office
Sangli Region, Sangli

NOTE :- Kolhapur District was originally under the jurisdiction of Assistant Charity Commissioner, Kolhapur Region, Kolhapur. Independent Sangli Region, Sangli comprising of Sangli and Satara Dist. has been constituted during the expansion of Charity Organisation with effect from 15-3-1983.

अहवाल दिनांक : 25/07/2022



महाराष्ट्र शासन

गाव नमुना सात (अधिकार अभिलेख पत्रक)

[महाराष्ट्र जमीन महसूल अधिकार अभिलेख आणि नोंदवहया (तयार करणे व सुस्थितीत ठेवणे) नियम, १९६१ यातील नियम ३,५,६ आणि ७]

गाव :- शिवाजीनगर मिरज

तालुका :- मिरज

जिल्हा :- सांगली

भूमापन क्रमांक व उपविभाग : 208/2/अ/1

भू-धारणा पध्दती : भोगवटादार वर्ग -1

शेताचे स्थानिक नाव : दे.ई.वर्ग 3

क्षेत्र, एकक व आकारणी	खाते क्र.	भोगवटादाराचे नांव	क्षेत्र	आकार	पो.ख.	फे.फा.	कुळ, खंड व इतर अधिकार
क्षेत्राचे एकक आर.चौ.मी अकृषिक क्षेत्र बिन शेती 23.15.00 आकारणी 2.03	8040	मॅनेजिंग ट्रस्टी संजिवन मंडिकल फौंडेशन मिरज व्दारा डॉ.डी.के.गोसावी	23.15.00	2.03		(19569)	कुळाचे नाव व खंड इतर अधिकार इतर (38615) (16333) प्रलंबित फेरफार : नाही. शेवटचा फेरफार क्रमांक : 56064 व दिनांक : 08/05/2018
जुने फेरफार क्र. (19964) (56005) (56045) (56064)							सीमा आणि भूमापन चिन्हे :

टीप :- या ७/१२ वरील गाव नमुना - १२ मधील पिकांचे एकूण क्षेत्र हे सकृतदर्शनी गाव नमुना - ७ च्या एकूण क्षेत्राच्या मेळात नाही.
याबाबत संबंधितांनी पिकांच्या क्षेत्राची दुरुस्ती करून घ्यावी.

गाव नमुना बारा (पिकांची नोंदवही)

[महाराष्ट्र जमीन महसूल अधिकार अभिलेख आणि नोंदवहया (तयार करणे व सुस्थितीत ठेवणे) नियम, १९६१ यातील नियम २९]

गाव :- शिवाजीनगर मिरज

तालुका :- मिरज

जिल्हा :- सांगली

भूमापन क्रमांक व उपविभाग : 208/2/अ/1

			पिकाखालील क्षेत्राचा तपशील							लागवडीसाठी उपलब्ध नसलेली जमीन		जल सिंचनाचे साधन	शेरा		
			मिश्र पिकाखालील क्षेत्र				निर्भळ पिकाखालील क्षेत्र								
			घटक पिके व प्रत्येकाखालील क्षेत्र												
वर्ष	हंगाम	खाता क्रमांक				पिकाचे नाव	जल सिंचित	अजल सिंचित	पिकाचे नाव	जल सिंचित	अजल सिंचित	स्वरूप	क्षेत्र		
(१)	(२)	(३)	*४	*५	*६	(७)	(८)	(९)	(१०)	(११)	(१२)	(१३)	(१४)	(१५)	(१६)
						आर. चौ.मी	आर. चौ.मी	आर. चौ.मी	आर. चौ.मी	आर. चौ.मी	आर. चौ.मी		आर. चौ.मी		

सूचना :- सदरचे क्षेत्र अकृषक क्षेत्रामध्ये रुपांतरीत झाले असल्याने या क्षेत्रासाठी गाव नमुना न.१२ ची आवश्यकता नाही

"या प्रमाणित प्रतीसाठी फी म्हणून १५/- रुपये मिळाले."

दिनांक :- 25/07/2022

सांकेतिक क्रमांक :- 27350007435070047202211471

(नाव :- PRAKASH VITTHAL PANDHARE)

तलाठी साक्षात :- शिवाजीनगर मिरजता :- मिरज जि :- सांगली



अहवाल दिनांक : 20/07/2022

महाराष्ट्र शासन

गाव नमुना सात (अधिकार अभिलेख पत्रक)

[महाराष्ट्र जमीन महसूल अधिकार अभिलेख आणि नोंदवह्या (तयार करणे व सुस्थितीत ठेवणे) नियम, १९६९ यातील नियम ३.९.६ आणि ७]
गाव :- शिवाजीनगर मिरज तालुका :- मिरज जिल्हा :- सांगली

भूमापन क्रमांक व उपविभाग : 208/3

भू-धारणा पध्दती : भोगवटादार वर्ग - 2

शेताचे स्थानिक नाव : दे.इ.वर्ग.3

क्षेत्र, एकक व आकारणी	खाते क्र.	भोगवटादाराचे नांव	क्षेत्र	आकार	पो.ख.	फे.फा.	कुळ, खंड व इतर अधिकार
क्षेत्राचे एकक हे.आर.चौ.मी. अ) लागवड योग्य क्षेत्र जिरायत 0.40.00 बागायत - एकूण ला.यो. क्षेत्र 0.40.00 ब) पोट-खराब क्षेत्र (लागवड अयोग्य) वर्ग (अ) - वर्ग (ब) - एकूण पो.ख. 0.00.00 एकूण क्षेत्र (अ+ब) 0.40.00 आकारणी 3.66 जडी किंवा विशेष आकारणी -	7973	सांगली मिरज आणि कुपवाड शहर महानगरपालिका	0.40.00	3.66		(26138)	कुळाचे नाव व खंड इतर अधिकार सक्षम प्राधिकार्यांच्या पूर्व परवानगी शिवाय हस्तांतरास बंदी - देवस्थान इनाम जमीन (61006) इतर 924 चौ. मी. (1) स्वस्थियोग प्रतिष्ठान मिरज क्षेत्र (1) इतर (38615) (16333) इतर भाडे पहा करुण घेणार (18171) इतर 3076 चौ. मी. (18408) भाडेपहा करुण घेणार - (18408) संजिवन मेडीकल फाँडेशन मिरज क्षेत्र (18408) इतर बिनशेती 3076 चौ. मी. (19353) प्रलंबित फेरफार : नाही. शेवटचा फेरफार क्रमांक : 61006 व दिनांक : 05/07/2022
जुने फेरफार क्र (4895) (9586) (13425) (16626) (18171) (20044) (54775) (56045) (56052) (56064) (61006)							सीमा आणि भूमापन चिन्हे :

गाव नमुना बारा (पिकांची नोंदवही)

[महाराष्ट्र जमीन महसूल अधिकार अभिलेख आणि नोंदवह्या (तयार करणे व सुस्थितीत ठेवणे) नियम, १९६९ यातील नियम २९]

गाव :- शिवाजीनगर मिरज

तालुका :- मिरज

जिल्हा :- सांगली

भूमापन क्रमांक व उपविभाग : 208/3

पिकाखालील क्षेत्राचा तपशील										लागवडीसाठी उपलब्ध नसलेली जमीन	जल सिंचनाचे साधन	शेरा			
मिश्र पिकाखालील क्षेत्र					निर्भेळ पिकाखालील क्षेत्र										
वर्ष	हंगाम	खाता क्रमांक	पिकाचे नाव			पिकाचे नाव			स्वरूप	क्षेत्र					
			जल सिंचित	अजल सिंचित	अजल सिंचित	जल सिंचित	अजल सिंचित	अजल सिंचित							
(१)	(२)	(३)	*४	*५	*६	(७)	(८)	(९)	(१०)	(११)	(१२)	(१३)	(१४)	(१५)	(१६)
			हे.आर. चौ.मी	हे.आर. चौ.मी	हे.आर. चौ.मी	हे.आर. चौ.मी	हे.आर. चौ.मी	हे.आर. चौ.मी	हे.आर. चौ.मी				हे.आर. चौ.मी		
2019-20	खरीप					पड						पडसर	0.4000		

टीप : *४ - मिश्रणाचा संकेत क्रमांक, *५ - जल सिंचित, *६ - अजल सिंचित

"या प्रमाणित प्रतीसाठी फी म्हणून ₹५/- रुपये मिळाले."
दिनांक :- 20/07/2022
सांकेतिक क्रमांक :- 27350007435070047202211190

(नाव :- PRAKASH VITTHAL PANDHARE)
तलाठी साझा :- शिवाजीनगर मिरजता :- मिरज जि :- सांगली

COURSEWISE / SUBJECTWISE TEACHERS LIST

Name of the College / Institution / Sanjeevan Medical Foundation's Dr. D.K.Gosavi Memorial, Shri. Siddhivinayak Ganapati Cancer Hospital Miraj 416410
Office Tel No. (0233) 2211601 Fax No
Dean / Principal / Coordinator (O) Dr. Shishir Gosavi (Res.) -
(Mob) 9373893801 Email ID cancermiraj@gmail.com
Course Fellowship / Certificate course Fellowship course
Name of the course **MEDICAL ONCOLOGY**
Course related / parented subject **ONCOLOGY**

Sr. No.	Full name of the Teacher (first name, middle name, last name)	Post held and date of joining	UG Qual & passing year	PG Qual & passing year alongwith subject specialization	Total teaching experience (years)			Central Council Recognition (Yes/No)	Date of birth (age)	Email address	Contact Nos. Resi / Mobile	Sign of teacher	Adhar Card No.	Remarks if debarred (specify) yes/no
					UG	PG	Clinical exp.							
1	DR RAVINDRA MADHAV JOSHI	Consultant Medical Oncologist	M.B.B.S 1992	MD. (Med) 1997 DM. (Med Oncology) 2000	-	22	22	Yes	18/08/1968 (53)	drjoshigch@rediffmail.com	94220 40299		6357 4586 9965	
2	DR UDAY ARUN PHATAK	Consultant Medical Oncology	M.B.B.S 1983	MD. (Med) 1987	-	33	33	Yes	25/02/1961 (61)	uday.phatak@gmail.com	98220 87690		7935 4429 8902	

COURSEWISE / SUBJECTWISE TEACHERS LIST

Name of the College / **Sanjeevan Medical Foundation's Dr. D.K.Gosavi Memorial, Shri. Siddhivinayak Ganapati Cancer Hospital Miraj 416410**

Office Tel No. (0233) 2211601 Fax No

Dean / Principal / **Dr. Shishir Gosavi** (Res.) -

(Mob) **9373893801** Email ID **cancermiraj@gmail.com**

Course Fellowship / Certificate Fellowship course

Name of the course **ONCO ANESTHESIA & CRITICAL CARE**

Course related / parented **Anesthesia**

Sr. No.	Full name of the Teacher (first name, middle name, last name)	Post held and date of joining	UG Qual & passing year	PG Qual & passing year alongwith subject specialization	Total teaching experience (year)			Central Council Recognition (Yes / No)	Date of birth (age)	Email address	Contact Nos. Resi / Mobile	Sign of teacher	Adhar Card Number	Remarks if debarred (specify) yes/no
					UG	PG	Clinical exp.							
1	DR. MRS. RUTA HARSHAL KULKARNI	Anesthetist	MBBS (2006)	DNB (Anes) 2012		2	4	Yes	11/28/1984	dryadav.aparna@gmail.com	90967 43849		2527 6088 1769	
2	DR. APARNA GAUTAM PUROHIT (YADAV)	Anesthetist	MBBS (2009)	MD (Anes) 2015		2	2	Yes	12/25/1988	anki.lapalikar@gmail.com	97655 05528		3210 7830 5007	
3	DR. MRS. ANKITA RAHUL GOSAVI	Intensivist	MBBS (2012)	MD. DNB. IDCCM (Anesthesia)			4	Yes	12/25/1988	anki.lapalikar@gmail.com	98691 46505		3996 5561 7444	